

SUPPLEMENT TO



The Gazette of India

No. 9]

NEW DELHI, SATURDAY, MARCH 3, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956

	CHOLERA				SMALLPOX				PLAGUE					CHOLERA				SMALLPOX				PLAGUE				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.			
STATES PART (A) & PART (C)														Assam												
Ajmer														TOTAL				TOTAL								
TOTAL	<i>(Estd. mid-year pop. 9,817 thousands.)</i>												
(Estd. mid-year pop. 752 thousands.)																										
Total for w/e 28-1-56	1	Total for w/e 28-1-56				Total for w/e 21-1-56								
Total for w/e 21-1-56	7-yearly mean for the week				3								
7-yearly mean for the week	2	1	Bhopal				Bihar				"N.R."				
Andhra																										
Srikakulam	1	Bombay				9								
Visekhapatnam	3	Greater Bombay				11								
Godavari East	55	10	Ahmedabad				31								
Godavari West	22	2	Surat				21								
Krishna	13	3	Ahmednagar				4								
Guntur	37	4	East Khandesh				10								
Nellore	..	2	3	6	West Khandesh				1								
Kurnool	..	166	72	5	4	Poona				1								
Cuddapah	..	17	2	Satara North				..								
Anantapur	2	2	Sholapur				21								
Chittoor	4	Ratnagiri				1								
TOTAL	185	77	148	25	Dangs				10								
(Estd. mid-year pop. 21,238 thousands.)														Mehsana				7								
Total for w/e 28-1-56	43	15	156	39	Banaskantha				35								
Total for w/e 21-1-56	36	10	174	35	TOTAL				158								
7-Yearly mean for the week	178	96	265	52	16												

Explanation of Symbols used ; C—Cases; D—Deaths; N.R.—Information not received; ..—Nil

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Bombay—<i>contd.</i>																			
(Estd. mid-year pop. 39,569 thousands.)																			
Total for w/e 28-1-56	3	2	133	26	Chingleput	1	1	
Total for w/e 21-1-56	141	39	North Arcot	2	
7-yearly mean for the week.	3	1	363	59	2	
Coorg																			
TOTAL	TOTAL	25	5	
(Estd. mid-year pop. 262 thousands.)							(Estd. mid-year pop. 38,273 thousands.)												
Total for w/e 28-1-56	Total for w/e 28-1-56	69	20	
Total for w/e 21-1-56	Total for w/e 21-1-56	31	7	
7-yearly mean for the week	7-yearly mean for the week	807	470	197	47	
Delhi																			
"N.R."																			
Himachal Pradesh																			
TOTAL	(Estd. mid-year pop. 613 thousands.)												
(Estd. mid-year pop. 1,003 thousands.)							Total for w/e 28-1-56	
Total for w/e 28-1-56	Total for w/e 21-1-56	
Total for w/e 21-1-56	Orissa												
Madhya Pradesh																			
Nagpur	86	29	
Wardha	1	
Betul	13	1	
Sagar	6	2	
Mandla	1	
Hoshangabad	2	
Balaghat	6	
Raipur	15	2	
Amravati	14	3	
Akola	52	13	
Buldana	46	10	
TOTAL	242	60	
(Estd. mid-year pop. 22,109 thousands.)							Punjab (I)												
Total for w/e 28-1-56	304	36	
Total for w/e 21-1-56	325	63	
7-yearly mean for the week	2	1	69	15	229	27	
TOTAL	TOTAL	

Explanation of Symbols used : C.—Case ; D.—Deaths; N.R.—Information not received; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.						
Punjab (1)—<i>contd.</i>																															
(Estd. mid-year pop. 12,641 thousands.)																			(Estd. mid-year pop. 66,780 thousands.)												
Total for w/e 28-1-56	8	3													Total for w/e 28-1-56	110	47	5	1						
Total for w/e 21-1-56	8	1													Total for w/e 21-1-56	97	39	5	1						
7-yearly mean for the week	20	5													7-yearly mean for the week	156	65	86	36						
Tripura																															
TOTAL	29	22	2	1													TOTAL						
(Estd. mid-year pop. 706 thousands.)																			(Estd. mid-year pop. 3,686 thousands.)												
Total for w/e 28-1-56	..	9	6	1											Total for w/e 28-1-56						
Total for w/e 21-1-56	..	10	4											Total for w/e 21-1-56						
Uttar Pradesh																															
Dehra Dun	11	3											Burdwan	1		
Meerut	2											Midnapur	II	4		
Mainpuri	1	1											Hooghly	2	2	2	2		
Farrukhabad	8	2											24-Parganas	46	28	1		
Btawah	1											Calcutta	1	1		
Kanpur	4												Nadia	1		
Allahabad	1											Murshidabad		
Jalaun	1											Malda	7	5		
Banaras	1	1											Jalpaiguri	1		
Ghazipur	2	1											TOTAL	56	36	17	6		
Ballia	1											(Estd. mid-year pop. 26,396 thousands.)												
Basti	14	3											Total for w/e 28-1-56	95	48	22	4		
Azamgarh	24	6											Total for w/e 21-1-56	45	26	12	4		
Sitapur	1											7-yearly mean for the week	246	120	100	34	
Kheri	3	1											Grand Total for States Parts (A) & (C) (excluding Bhopal, Bihar and Delhi)	271	135	730	135	
Gonda	10	2											(Corresponding estd. mid-year pop. 2,58,959 thousands.)												
Bahraich	2											Corresponding total for w/e 28-1-56	152	72	822	175	5	1				
Rampur	4											Corresponding total for w/e 21-1-56	94	41	899	225	5	1				
TOTAL	90	21											Corresponding 7-yearly mean for the week	1,289	709	1,337	301	315	63				

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—contd.

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATES PART (B)						Travancore-Cochin								
Hyderabad						"N.R."								
Aurangabad	1	Grand Total for States Part (B)	19	7	59	21	6	1	
Bhir	1	3	Grand Total for States Parts (A), (B) and (C)	290	142	789	156	6	1	
Nalgonda	2	3	ARREAR INFORMATION							
Mahbubnagar	8	3	1	—	Delhi							
Hyderabad	2	2	w/e 28-1-56							
Khammam	22	3	Delhi City	4
TOTAL	8	3	29	11	New Delhi	1
Jammu and Kashmir						Delhi Notified Area								
"N.R."						TOTAL								
Madhya Bharat						Saurashtra								
"N.R."						w/e 28-1-56 (Revised)								
Mysore						Gohilwad	16	11	
Chitaldrug	10	5	Zalawad	6	3
Kolar	5	1	22	14	
Bellary	3	TOTAL		
Tumkur	..	11	4	Madhya Bharat							
Mysore	w/e 28-1-56							
TOTAL	11	4	13	5	6	1	TOTAL	17	10
Patiala & East Punjab States Union						Bhopal								
TOTAL						w/e 21-1-56								
Rajasthan						w/e 28-1-56								
"N.R."						Madhya Pradesh								
Saurashtra						w/e 28-1-56								
Gohilwad	5	2	Nagpur	162	17
Zalawad	3	1	Chhindwara	42
Halar	4	1	Betul	43
Sorath	3	1	Mandla	3	1
TOTAL	15	5	Hoshangabad	9	1
							Raipur	3

Explanation of Symbols used: C = Cases ; D = Deaths ; Nil = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—con cld.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.

Madhya Pradesh—Contd.

POLIOMYELITIS

Durg	Information based on patients treated in hospitals in important towns)					
	Places	Period	Cases			
Bhandara	Greater Bombay	1-15 January 1956	3			
Bulaghat	Do.	16-31 January 1956	1			
Akola	West Bengal	16-31 January 1956	3 Paretic			
Buldana	Punjab	16-31 January 1956	{ 12 (Paretic) 1 (Non-Paretic)			
Bastar						
TOTAL						

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI (INDIA) ;
The 28th February, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/- Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/- Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/- Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/- Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

● YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956

Deaths from :-

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
STATES—(Parts A and C)													
"N. R."													
Ajmer													
Andhra													
Adoni	63	39	32.2	2	4	..	12	9.9	4
Anantpur	38	21	28.7	3	..	1	..	10	13.7	2
Anakapalle	46	34	38.4	3	..	2	3	22	24.9	2
Bhimavaram	36	24	34.7	2	7	10.1	2
Chirala	43	25	30.2	3	11	13.3	4
Chittoor	45	51	58.9	3	1	4	..	23	26.6	5
Cuddapah	42	19	23.5	5	5	6	1	37	45.8	5
Eluru	99	50	26.3	..	1	..	7	..	2	..	40	21.0	7
Godavada †													
Guntur	147	144	50.9	..	2	..	3	1	5	2	44	15.6	12
Guntakal	37	20	28.1	3	3	1	..	11	15.5	3
Kakinada	133	39	17.9	..	2	..	10	1	..	1	31	14.3	4
Kurnool	68	117	89.5	..	1	..	3	3	3	..	35	26.8	6
Masulipatnam	88	91	53.8	3	1	1	..	33	19.5	4
Nandyal	37	17	23.9	2	2	..	11	15.5	2
Nellore	95	53	29.0	3	3	6	1	27	14.8	3
Proddatur†													
Rajahmundry	122	87	37.1	..	2	..	10	..	7	..	43	18.3	5
Tenali	67	56	43.5	1	1	4	..	27	21.0	11
Vijayawada	201	112	29.0	..	1	..	2	6	6	..	40	10.3	14
Visakhapatnam	128	106	43.1	9	1	21	..	47	19.1	10
Vijianagaram	75	49	34.0	2	2	2	..	29	20.1	10
TOTAL	15,90	11,54	37.7	2	9	..	73	32	77	8	5,40	16.7	115

Assam

Shillong†													
Gauhati†													
Dibrugarh	46	4	4.5
Silchar	43	14	16.9	2	2	1	..	8	9.7	1
TOTAL	89	18	10.5	2	2	1	..	8	4.7	1

Bhopal

Bhopal City	116	42	18.8	1	..	1	..	5	2.2	..
-------------	-----	----	------	----	----	----	---	----	---	----	---	-----	----

Bihar

"N. R."

Bombay													
Ahmedabad	889	705	41.2	..	3	..	7	6	85	1	288	16.8	89
Ahmednagar	88	70	41.4	3	3	3	..	29	17.1	9
Amalner	50	17	17.7	6	8	8.3	1
Bagalkot	36	24	34.7	2	..	1	..	8	11.5	2
Baroda	242	174	37.4	10	1	13	..	54	11.6	11
Barsi	46	28	31.7	5	13	14.7	3
Belgaum	110	43	20.3	4	2	..	2	19	9.0	4
Bhusawal	62	49	41.1	3	3	1	..	13	10.9	4
Bijapur	75	24	16.6	2	..	4	..	16	11.1	7
Broach	67	53	41.1	11	..	3	..	23	17.9	4
Cambay	41	32	40.6	..	2	1	..	12	15.2	2
Chalisgaon	35	32	47.5	6	..	1	..	12	17.8	4
Dharwar	76	22	15.1	1	..	1	..	15	10.3	3
Dhulia	89	73	42.7	8	..	7	..	28	16.4	8
Gadag Betageri	71	42	30.8	5	..	3	2	23	16.8	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total Deaths) ; ..—Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

Bombay—*contd.*

Godra	40	30	39.0	5	2	28	119	2	11	14.3	4
Greater Bombay	3,449	1,662	25.1	..	1	..	2	3	28	119	2	619	9.3	153
Hubli	148	59	20.7	3	3	1	24	8.4	3
Jalgaon	79	118	77.7	5	..	5	27	17.8	4
Kalyan	73	12	8.5	3	..	2	10	7.1	..
Kolhapur	159	112	36.6	5	1	9	48	15.7	9
Malegaon†														
Mira	44	16	18.9	1	1	12	14.2	2
Nildiad	71	29	21.2	19	..	1	30	21.9	10
Nandurbar.	35	23	34.2	4	5.9	1
Nasik	119	63	27.5	6	..	2	2	..	31	13.5	9
Navsari	50	25	26.0	3	11	11.4	2
Pandharpur	44	37	43.7	4	3	4	15	17.7	7
Patan	47	31	34.3	..	1	..	5	3	4	..	1	24	26.6	5
Poona]	607	320	27.4	6	4	20	3	..	109	9.3	27
Sangli	58	20	17.9	1	1	5	4.5	3
Satara	40	20	26.0	2	15	19.5	3
Sholapur	299	235	40.9	..	1	..	13	6	32	82	14.3	6
Surat	250	168	34.9	..	5	..	20	3	21	1	..	130	27.0	49
Thanat†														
TOTAL	7,589	4,368	29.9	..	13	..	174	65	349	16	1,768	12.1	452	

Delhi State.

Delhi City	1,124	639	29.6	51	3	54	1	201	9.3	40	
New Delhi	374	160	22.2	4	1	5	..	98	13.6	26	
N.A.C. Civil Station Delhi	117	74	32.3	..	2	..	2	2	3	..	12	5.3	3	
Delhi Cantt.														
Delhi-Shahdara	50	19	19.8	1	5	4.9	..
TOTAL	1,718	929	28.1	..	2	..	58	6	63	1	316	9.6	70	

Madhya Pradesh

Achalpur	38	24	32.8	2	1	1	1	1	14	19.2	4
Akola	104	78	39.0	8	..	3	2	35	17.5	11	
Amravati	101	120	61.8	10	1	2	1	37	19.0	10	
Bilaspur†														
Burhanpur	79	42	27.6	2	..	4	..	16	10.5	..	
Chanda†														
Chhindwara†	42	25	31.0	3	1	14	7.3	..	
Damoh														
Gondia†														
Hinanghat†														
Jabalpur†														
Khandwa	59	22	19.4	2	4	3.5	..
Khangon†														
Kamptee	36	14	20.2	5	5	7.2	..
Murwarat†														
Nagpur	528	88	8.7	17	1	1	49	4.8	..
Sagar†														
Raipur†														
Raigarh†														
Wardha†														
Yeotmal	41	24	30.4	4	..	1	..	15	19.0	4	
TOTAL	10,28	4,37	22.1	53	4	21	4	189	9.6	29	

Madras

"N.R."

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—contd.

Town	Mid-year Popn. Est. (000)	Deaths from :-											
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Orissa													
Berhampur	73	100	72.2	3	1	2	..	13	9.4	1
Cuttack	117	141	62.7	8	3	7	..	44	19.6	6
Puri	53	41	40.2	6	1	2	1	19	18.5	5
TOTAL	242	282	60.6	17	5	11	1	76	16.3	12
Punjab (I)													
Ambala	65	45	36.0	5	..	13	10.4	6
Amritsar	343	279	42.3	1	22	..	64	9.7	10
Batala	62	45	37.7	3	3	2.5	1
Bhawanji	57	50	15.6	6	..	2	..	11	10.0	1
Ferozepore	43	48	55.5	2	5	..	7	8.1	3
Hissar	39	36	48.0	3	..	3	..	7	9.4	3
Hoshiarpur	51	31	31.6	6	6.1	1
Jullundur	200	170	44.2	4	1	14	..	28	7.3	9
Karnal	72	38	27.4	3	9	6.5	1
Ludhiana	176	192	56.7	9	..	8	..	28	8.3	6
Moga	41	36	45.7	1	..	2	..	7	8.9	..
Panipat	64	45	36.6	5	8	6.5	3
Pathankot	34	39	60.0	1	..	2	..	3	4.6	..
Rewari	36	30	43.3	1	..	3	..	7	10.2	2
Rohtak	105	74	36.6	1	..	4	..	11	5.4	5
Simla	50	20	20.8	3	3	3.1	..
Sonepat	34	21	32.1	2	..	6	9.2	2
TOTAL	1474	1199	42.3	40	4	72	..	221	7.8	53
Uttar Pradesh													
Agra	375	428	59.3	1	5	63	..	104	14.4	27
Allahabad	349	180	27.0	2	..	22	..	54	8.1	15
Amroha	61	55	46.9	5	..	14	12.0	5
Bahraich	47	13	14.4	5	..	1	..	13	14.4	2
Banaras	383	243	33.0	..	2	..	43	4	20	..	157	21.3	47
Ballia	35	6	9.0	2	10	14.9	6
Banda	32	10	16.3	1	..	1	..	3	4.9	1
Barailly	203	71	18.3	16	3	5	..	37	9.5	7
Rijnor	32	21	34.1	1	..	3	3.3	1
Budamun	54	30	29.0	3	..	2	..	6	5.8	4
Basti†													
Bulandshahr†													
Chandausi	41	30	38.9	2	..	1	..	8	10.1	3
Dehra Dun	146	60	21.4	..	2	..	2	..	5	..	20	7.1	6
Ritawali	64	42	34.1	1	..	4	..	6	4.9	..
Faizabad-Ayodhya	88	36	21.3	2	1	9	5.3	2
Farrukhabad-Fatehgarh	82	57	36.1	..	1	..	3	..	8	..	14	8.9	2
Ferozabad	79	16	10.6	2	..	1	..	5	3.3	2
Gazabed	46	27	30.5	2	2.3	..
Gazipur	36	16	23.2	7	2	1	..	14	20.3	..
Gorakhpur	140	89	33.1	7	2	8	..	22	8.2	5
Gonda	35	11	16.4	2	3.0	..
Hapur	49	56	59.4	2	1	1	..	8	8.5	1
Hardwar	64	36	29.3	11	1	2	..	20	16.3	4
Hathras	62	56	47.0	3	2	5	..	13	11.0	4
Jaunpur	56	30	28.0	3	..	3	..	12	11.2	1
Jhansi	116	80	36.0	18	1	1	..	29	13.1	6
Kanpur	734	351	25.0	102	18	42	5	283	2.00	77
Kasganj	34	10	15.4	4	4	6.1	..
Khurja	41	24	30.4	2	..	6	7.6	1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures are not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Birth and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Koll-Aligarh	150	63	21.9	5	2	3	..	18	6.3	3
Lucknow	494	291	30.6	19	12	32	2	143	15.1	39
Mathura	110	76	36.0	6	1	9	..	21	10.0	4
Mau-Nath Bhanjan	38	34	46.5	..	17	..	5	3	31	42.4	9
Mecrut	185	98	27.5	3	..	11	..	22	6.2	3
Mirzapur-Vindhya Chal	97	57	30.6	8	1	8	..	28	15.1	6
Moradabad	164	150	47.6	9	..	19	..	50	15.9	13
Muzaffarnagar	74	33	23.2	3	..	2	..	5	3.5	1
Pilibhit	45	20	23.2	3	5	5.8	2
Rampur†													
Saharanpur	162	102	32.7	22	1	2	..	33	10.6	11
Sambhal	65	48	38.4	2	..	9	..	22	17.6	10
Shahjahanpur	99	42	22.1	6	..	3	..	12	6.3	4
Sitapur	49	21	22.3	2	..	1	..	3	3.2	..
TOTAL	5,216	3,119	31.1	..	22	..	335	59	303	6	1,270	12.7	331
West Bengal													
Asansolt													
Baidyabati	33	15	23.8	1	3	4.8	2
Bally	66	4	3.2	2	1.6	..
Bankura	50	6	6.3	3	3.1	..
Bansberia†													
Baranagar	90	33	19.2	1	1	3	..	13	7.6	2
Basirhat	39	6	8.0
Berhampur	64	60	49.0	15	12.3	6
Bhadreshwar	34	9	13.8	1	1	6	9.2	2
Bhatpara	143	13	4.8	6	1	3	..	25	9.1	9
Budge-Budge	32	11	18.0	2	1	4	6.5	1
Burdwan	82	21	13.4	3	2	1	16	10.2	..
Calcutta	2984	1222	21.4	1	17	43	133	4	538	9.4	161
Campdani	41	14	17.9	1	..	7	8.9	..
Cooch-Behar†													
Darjeeling†													
English-Bazar	36	39	56.6	2	1	..	7	10.2	..
Graden Reach	124	17	7.2	1	..	8	3.4	3
Halisahar	41	5	6.4	2	2.6	..
Hoogly-Chinsurah	60	59	51.4	1	1	10	8.7	2
Howrah	477	227	24.9	6	10	29	..	99	10.9	30
Jalpaiguri	49	15	16.0	3	5	5.3	..
Kamarhati†													
Kanchrapara	7	7	4.9
Krishnagar	56
Midnapore	45	49	61.9	3	..	2	1	11	17.7	..
Nabadwip	70	29	21.7	7	1	1	1	14	10.5	1
Nalhati	62	3	2.5	3	1	6	5.1	..
North Barrackpore	36	1	1.5	1	..	1	1.5	..
Panihati	65	2	1.6	1	0.8	..
Shantipur	49	15	16.0	6	6.4	..
Serampore	83	36	22.7	7	4.4	3
Siliguri†													
South Dum Dum	83	18	7.6	2	8	..	0.6	..
South Suburban	124	29	19.4	11	1	2	16	6.7	7
Titagarh	78	29	1	1	15	10.1	4
TOTAL	5,270	1965	19.5	3	61	65	187	9	841	8.3	233

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Part B)													
Jammu & Kashmir												“N. R.”	
Madhya Bharat													
Greater Gwalior	273	27	5.1	6	3	..	18	3.4
Indore	368	26.2	37.0	..	1	..	12	10	2	62	8.8	15	..
Ujjain	156	49	16.3	..	4	..	15	4	..	35	11.7
Ratlam	73	19	13.5	4	..	20	14.3	3	..
Mandsaur	41	8	10.1	2	2.5	1	..
TOTAL	911	365	20.8	..	5	..	33	6	17	2	137	7.8	19
Mysore													
Bangalore	973	427	22.8	4	24	30	..	149	8.0	..
Mysore	294	95	16.8	17	4	2	..	57	10.1	..
Kolar Gold Fields	173	48	14.4	3	1	8	2.4	..
Davangere	69	25	18.8	2	6	4.5	..
TOTAL	1509	595	20.5	26	29	52	..	220	7.6	..
PEPSU													
Patiala City	111	106	49.7	12	..	4	..	40	20.6	16
Malerkotla	34	31	47.4	3	3	4.6	..
Bhatinda	39	35	41.7	2	3	4.1	..
TOTAL	148	172	48.6	17	..	4	..	46	13.0	16
Rajasthan													
Alwar†	38	64	87.6	—	4	5	6.8	1
Bharatpur													
Bikaner†													
Churu	1	2	4	4.4	..
Ganganagar	47	3	..	1	..	7	8.1	..
Tonk	45			
Kotah	72	13	9.4	2	..	4	..	10	7.2	..
Sikar†													
Taipuri†													
Udalpurt													
Jodhpurt													
TOTAL	202	77	19.8	—	10	2	5	..	26	6.7	2
Hyderabad													
Aurangabad	73	10	7.1	1	..	4	2.8	..
Bidar†													
Gulberga	90	46	26.6	3	..	6	..	16	9.2	..
Hyderabad City	1,057	142	21.7	22	2	10	..	91	4.5	2
Jalna†													
Kothagudiam	71	19	13.9	1	5	3.7	..
Latur	41	1	..	1	1.3	..
Nanded	80	15	9.8	6	6	3.9	..
Nizambad	67	11	8.5	1	4	3.1	..
Parbhani†													
Raichur†													
Secunderabad City	162	148	47.5	4	..	30	9.6	8
Warangal†													
TOTAL	1,641	691	21.9	32	3	22	..	157	5.0	10

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil Information; “N.R.” = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—concl'd.

Deaths from:—

Town	Mid-year Popn. Est. (000)	Deaths from:—										
		B.	B.R.*	C.	S.	P.	R.	D.D.	R.D.	M.D.	Total	D.R.*
Saurashtra												
Bhavnagar†	47	26	28.8	4	..	9	10.0	..
Dhoraji	41	18	22.8	2	7	8.9	..
Gondal	65	18	7.7	10	4	2	32	13.6	5
Junagadh	65	26	20.8	11	..	2	20	16.0	7
Morvi	43	11	13.3	2	3	3.6	..
Porbandar	64	63	51.2	17	1	2	36	29.2	16
Rajkot	167	59	18.4	13	1	9	31	9.6	12
Surendranagar	42	29	35.9	2	..	2	9	11.1	4
Veraval	46	4	4.5	3	6	6.8	..
TOTAL	637	254	20.7	58	6	23	153	12.5	44

ARREAR RETURNS

Uttar Pradesh		Supplementary for w/e 6-8-55											
Basti	37	8	11.2	..	1	1	1.4	..	
Bijnor	31	14	23.5	1	1	3	5.0	..	
Mau Nath Bhajan	37	36	50.6	..	2	..	3	1	..	10	14.1	3	
Rampur	154	6	2.0	
<i>Supplementary for w/e 13-8-55</i>													
Basti	37	10	14.1	7	7	9.8	..	
Ballia	34	18	27.5	2	14	21.4	8	
Etawah	63	91	75.1	10	4	1	31	25.6	..	
Hapur	48	45	48.8	6	4	2	21	22.8	..	
Lucknow	485	465	50.0	15	4	20	127	13.6	..	
Rampur	154	6	2.0	1	..	2	4	1.3	..	
<i>Supplementary for w/e 20-8-55</i>													
Basti	37	11	15.5	3	7	9.8	1	
Badaun	54	8	..	2	15	14.4	5	
Lucknow	485	395	42.4	21	15	29	166	17.8	67	
Rampur	154	7	2.4	6	2.0	1	
<i>Supplementary for w/e 27-8-55</i>													
Basti	37	9	12.6	1	2	2.8	..	
Bijnor	31	15	25.2	1	1	4	6.7	1	
Etawah	63	78	64.4	12	2	2	31	25.6	12	
Mathura	108	146	70.3	9	1	1	20	9.6	..	
Rampur	154	6	2.0	
Madhya Pradesh		Supplementary for w/e 21-1-56											
Nagpur	528	183	18.0	..	10	..	21	4	17	2	110	10.8	
Itarsi	30	20	34.7	1	4	6.9	2	
Bihar		Supplementary for w/e 21-1-56											
Arrah	70	9	6.7	4	..	1	5	3.7	..	
Bihar	68	7	5.4	3	3	2.3	..	
Bettiah	38	3	4.1	1	1.4	..	
Bhagalpur	126	48	19.8	1	9	3.7	..	
Chapra†	
Darbhanga	93	20	11.2	3	1	..	10	5.6	..	
Dhanbad	41	8	10.2	3	3.8	..	
Dinapur	44	11	13.0	1	..	1	6	7.1	..	
Gaya	149	42	14.7	..	7	..	20	1	12	60	20.9	..	
Hazaribagh	39	11	14.7	12	2.7	..	
Jamalpur	47	5	5.5	2	2.2	..	
Jamshedpur	246	104	22.0	1	2	1	12	2.5	..	
Katihar	51	
Monghyr	80	8	5.2	2	1.3	..	
Muzaffarpur	84	43	26.6	10	..	1	22	13.6	..	
Patna	330	170	26.8	..	8	..	9	1	1	73	11.5	..	
Purulia	47	10	11.1	..	1	..	1	3	3.3	..	
Ranchi	130	21	8.4	5	9	3.6	1	
TOTAL	1,683	520	16.1	..	16	..	58	5	17	3	222	6.9	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=Nil information ;

Births and Deaths from principle diseases in towns with a population of 30,000 and over in India for the week ending the 4th February 1956—contd.

Deaths from :—

Town	Mid year Popn. Est. (ooo)	Deaths from :—											
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Medras		<i>Supplementary for w/e 21-2-56</i>											
Ambur	44	38	44.9	4	1	..	8	9.5	..
Aruppukottai	56	33	30.6	8	7	3	..	33	30.6	9
Bedinayakanur	40	20	26.0	1	2	..	10	13.0	2
Cannanore	46	22	24.9	1	..	1	..	11	12.4	2
Chidambaram	39	28	37.3	..	1	..	2	1	24	32.0	10
Coimbatore	234	212	47.1	2	13	13	1	97	21.6	25
Cuddalore	74	50	35.1	1	4	1	19	13.4	6
Dindigul	91	77	44.0	5	1	2	1	25	14.3	5
Erode	67	97	75.3	1	1	1	1	21	16.3	5
Gobichetty Palayan	38	10	13.7	1	..	3	4.1	..
Guddiyattam	53	20	19.6	2	6	..	11	10.8	2
Kancheepuram	90	70	40.4	1	2	14	..	40	23.1	11
Karaikudi	44	26	30.7	2	2	12	14.2	4
Karur	50	35	36.4	1	..	2	..	15	15.6	4
Kozhikode	176	204	60.3	4	1	6	..	63	18.6	10
Kumbakonam	105	77	38.1	3	1	3	..	27	13.4	6
Madras	1703	1337	40.8	94	31	197	1	823	25.1	235
Mangalore	136	71	27.1	1	..	4	..	21	8.0	5
Mathurai	427	481	58.6	11	14	41	2	239	29.1	64
Mayuram	49	32	34.0	1	..	22	23.3	6
Nolapalayam	40	10	13.0	1	2	1	..	10	13.0	4
Nagapattinam	61	56	47.7	2	5	1	2	28	23.9	6
Ottacamund	48	39	42.2	3	1	10	10.8	3
Palni	40	21	27.3	1	6	7.8	1
Palayamkottai†													
Palghat	77	44	29.7	1	..	5	2	19	12.8	4
Periyakulam	34	47	71.9	3	2	3	..	17	26.0	5
Pollachi	51	32	32.6	2	1	1	13	13.3	6
Pudukkottai	50	65	67.6	2	7	2	..	28	29.1	5
Rajapalayam	69	42	31.7	7	2	..	23	17.3	4
Salem	241	164	35.4	7	5	13	1	59	12.7	3
Srirangam	42	22	27.2	1	1	3	..	20	24.8	4
Srivilliputtrur	44	18	21.3	1	4	1	..	23	27.2	5
Tanjore	118	77	33.9	3	2	1	..	45	19.8	14
Tellicherry	42	20	24.8	1	..	18	9.9	1
Tiruchirapalli	251	191	39.6	3	6	11	2	84	17.4	18
Tirunelveli	80	67	43.6	4	4	..	24	15.6	9
Tiruppur	63	63	52.0	1	2	..	19	15.7	6
Tiruvannamalai	45	26	30.0	..	1	..	7	4	5	..	23	26.8	4
Tuticorin	111	60	28.1	9	12	..	53	24.8	18
Vaniyambadi	43	31	37.5	2	..	1	2	14	16.9	8
Vellore	124	100	41.9	1	19	1	51	21.4	14
Villupuram	39	18	24.0	1	1	1	10	13.3	2
Virudunagaram	53	43	42.2	1	2	1	..	12	11.8	6
TOTAL	5,328	4,196	41.0	..	2	..	164	248	395	20	2123	20.7	561

Madhya Bharat*Supplementary for week ending 14-1-56*

Greater Gwalior	273	260	49.5	—	3	..	4	..	26	5.0	1
Indore	368	160	22.6	—	16	2	10	1	80	11.3	28
Ujjain	156	40	13.3	9	1	..	1	44	14.7	—
Ratlam	73	19	13.5	4	2	2	—	19	13.5	2
Mandsaur	41	14	17.8	—	—	—
TOTAL	911	493	28.1	32	5	16	2	169	9.6	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—contd.

Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madhya Pradesh														
Itarsi	30	15	26.0	1	3	5.2	2	
Madhya Bharat														
Greater Gwalior	273	31	5.9	4	15	2.9	..	
Indore	368	253	53.9	12	..	10	1	69	10.1	22	
Ujjain	156	50	16.7	..	5	..	4	2	..	1	36	12.0	1	
Ratlam	73	24	17.1	3	1	3	..	14	10.0	..	
Mandsaur	41	12	15.2	2	2.5	..	
TOTAL	911	350	19.9	..	5	..	23	3	13	2	136	7.8	23	
Madras														
Ambar	44	32	37.8	2	2	..	9	10.6	4	
Aruppukottai	56	54	50.1	7	1	1	..	17	15.8	5	
Bodinayakanur	
Cannanore	46	36	40.7	1	..	3	..	12	13.6	4	
Chidambaram	39	32	42.7	1	..	7	9.3	3	
Colmbatore	234	231	51.3	5	18	..	67	14.9	25	
Cuddalore	74	72	50.6	1	2	1	1	30	21.1	8	
Dindigul	91	47	26.9	1	6	28	16.0	4	
Erode	67	23	17.9	1	2	5	1	17	13.2	6
Gobichettipalayam	38	8	10.9	1	4	5.5	1	
Guddiyattam	53	17	16.7	1	1	6	..	15	14.7	2	
Kancheepuram	90	48	27.7	1	2	12	..	28	16.2	6	
Karaikudi	44	26	30.7	2	2	16	18.9	3	
Karur	50	31	32.2	1	1	1	..	18	18.7	7	
Rozhikode	176	204	60.3	3	1	6	..	48	14.2	13	
Kumbakonam	105	74	36.6	2	1	29	14.4	6	
Madras	1703	937	28.6	..	1	..	80	101	168	1	694	21.2	177	
Mangalore	136	55	21.0	2	..	4	1	28	10.7	5	
Marthurai	427	295	35.9	10	17	42	2	195	23.7	48	
Mayuram	49	40	42.4	21	22.3	4	
Melapalayam	40	9	11.7	3	3.9	2	
Nagapattinam	61	41	35.0	1	1	2	..	17	14.5	1	
Ottacamund	48	41	44.4	2	..	12	13.0	5	
Palni	40	29	37.7	1	3	3	..	14	18.2	2	
Palayamkottai	45	53	61.2	15	17.3	3	
Palghat	77	45	30.4	1	..	4	..	18	12.2	3	
Periyakulam	34	16	24.5	2	1	..	16	24.5	6	
Pollachi	51	39	39.8	2	2	2	..	15	15.3	7	
Pudukkottai	50	52	54.1	2	4	5	..	36	37.4	10	
Rajapalayam	69	53	24.9	5	5	..	24	18.1	6	
Selem	241	151	32.6	4	7	6	..	59	12.7	10	
Srirangam	42	5	6.2	5	..	11	13.6	3	
Srivilliputtur	44	41	48.5	7	2	3	..	25	29.5	4	
Tanjore	118	90	39.7	5	..	3	..	28	12.3	5	
Tellicherry	42	41	50.8	2	1	9	11.1	2		
Tiruchirappalli	251	90	18.6	3	7	15	..	60	12.4	9	
Tirunelveli	80	60	39.0	4	2	..	27	17.6	12	
Tiruppur	63	51	42.1	3	3	14	11.6	1	
Tiruvannamalai	45	35	40.4	2	1	1	..	13	15.0	6	
Tuticorin	111	88	41.2	2	9	10	3	54	25.3	16	
Vaniyambadi	43	33	39.9	3	11	13.3	..	
Vellore	124	116	48.6	3	10	1	61	25.4	13	
Villupuram	39	37	49.3	1	1	1	..	7	9.3	2	
Virudhunagar	53	32	31.4	4	1	5	..	24	23.5	2	
TOTAL	5333	3490	34.0	..	1	..	149	199	360	13	1856	18.1	466	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B. R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Bihar													
<i>Supplementary For w/e 28-1-56</i>													
Arrah . . .	70	20	14.9	7	10	7.4	..
Bettiah . . .	38	15	20.5	2	2.7	..
Bhagalpur . . .	126	50	20.6	2	16	6.6	..
Bihar . . .	68	20	15.3	1	7	5.4	..
Chapra . . .	69	38	28.6	1	13	9.8	4
Darbhanga . . .	93	14	7.8	3	6	3.4	..
Dhanbad . . .	41	11	14.0	4	5.1	..
Dinapur . . .	44	7	8.3	2	5.9	..
Gaya . . .	149	27	9.4	..	1	..	22	7	16	16.1	..
Hazaribagh . . .	39	12	16.0	3	4.0	..
Jamalpur . . .	47	5	5.5
Jamshedpur . . .	246	113	23.9	7	1.5	3
Katihar . . .	51
Monghyr . . .	80	5	3.3	6	3.9	..
Muzaffarpur . . .	84	17	10.5	1	17	10.5	..
Patna . . .	330	142	22.4	..	7	..	4	1	2	..	41	6.5	..
Purulia . . .	47	6	6.6	1	2	2.2	..
Ranchi . . .	130	21	8.4	5	1	14	5.6	..
TOTAL . . .	1752	523	15.5	..	8	..	47	2	12	4	199	5.9	10
Orissa													
<i>Supplementary for w/e 28-1-56</i>													
Puri . . .	53	37	36.3	8	5	2	..	32	31.4	5
Madhya Pradesh]													
<i>Supplementary w/e for 3-12-1955</i>													
Nagpur . . .	528	186	18.3	..	6	..	11	4	16	2	79	7.8	..
Kamptee . . .	36	16	23.1	3	6	8.7	..
Raigarh . . .	35	15	22.3	3	4.5	..
West Bengal													
<i>Supplementary for w/e 28-1-56</i>													
Baldyabati . . .	33	8	12.7	2	3.2	..
Bally . . .	66	6	4.7	5	4.0	..
Bankura . . .	50	4	4.2	1	1.0	..
Baranagar . . .	90	27	15.7	2	2	..	14	8.1	..
Basirhat . . .	39	8	10.7	2	2.7	..
Behrampur . . .	64	81	66.8	3	1	11	9.0	..
Bhadreshwar . . .	34	6	9.2	1	2	..	7	10.7	..
Bhatpara . . .	143	35	12.7	7	5	5	1	38	13.9	9
Budge-Budge . . .	32	13	21.1	1	2	2	..	5	8.1	2
Burdwan . . .	82	29	18.4	2	7	4.4	..
Calcutta . . .	2,984	1,213	21.1	20	53	150	2	590	10.3	161
Champdani . . .	41	15	19.1	3	3.8	..
English-Bazar . . .	36	3	4.4	1	1	1.4	..
Garden Reach . . .	124	16	6.7	2	..	2	..	9	3.8	3
Halisahar . . .	41	2	2.6
Hooghly-Chinsurah . . .	60	80	69.3	3	1	3	..	17	14.8	3
Howrah . . .	477	218	23.9	4	7	35	..	98	10.7	36
Kanchrapara . . .	74	22	15.5	1	0.7	..
Krishnanagar . . .	56	3	2.8	1	0.9	..
Midnapore . . .	45	38	43.9	2	9	10.4	..
Nabadwip . . .	70	46	34.2	8	..	1	..	9	6.7	1
North Barrackpore . . .	36	7	10.2	1	1	104	..
Panihati . . .	65	5	4.0
Santipur . . .	49	13	13.8	1	5	5.3	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates, may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—concl'd.

Town	Mid-year Popn. Estd. (000)	Deaths from :—											
		B.	B.R. *	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. *	
West Bengal—contd.													
Serampore	83	26	16.4	3	..	4	..	15	9.4	5
South Dum Dum	83	1	0.6
South Suburban	124	5	2.1	4	2	..	13	5.5	4
Titagarh	78	21	14.1	11	3	..	1	16	10.7	2
TOTAL	5,159	1,951	19.7	3	60	81	212	4	880	8.9	232

Delhi State*Supplementary for w/e 28-1-56*

Delhi City	1,124	311	14.4	33	2	44	1	120	5.6	38
New Delhi	374	172	23.9	4	..	8	1	73	10.1	25
N.A.C. Civil Station, Delhi	117	87	38.7	..	1	..	1	1	6	..	18	8.0	4
Delhi Cantt.	50	56	58.2	1	..	3	..	5	5.2	..
Delhi Shahdara	53	36	35.3	2	..	2	2.0	1
TOTAL	1,718	662	20.0	..	1	..	39	3	63	2	218	6.6	68

Punjab (I)*Supplementary for w/e 28-1-56*

Moga	41	24	33.6	1	..	3	..	4	5.1	1
------	----	----	------	----	----	----	---	----	---	----	---	-----	---

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (including total deaths); ..—Nil information ;

REMARKS

The figures of births and deaths shown in this statement for week ending the 4th February, 1956, relate to 194 towns with an estimated population of 29,416 thousands. The total number of towns is 313 and their population is 41,203 thousands. Thus 62% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,667 and 5,973 representing birth and death rates of 27.7 and 10.6 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 161 towns with an estimated population of 24,332 thousands. Information about Ajmer, Bihar and Madras could not be included. The total number of towns is 251 and their population is 33,402 thousands. Thus 64% of the total number of towns representing 73% of the total

population is covered. The number of births and deaths recorded in these towns were 13,513 and 5,234 representing birth rates and death rates of 28.9 and 11.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 33 towns with an estimated population of 5,084 thousands. The total number of towns is 62 and their population is 7,801 thousands. Thus 53% of the total number of towns representing 65% of the total population is covered. The number of births and deaths recorded in these towns were 2,154 and 739 representing birth and death rates of 22.0 and 7.6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 4-2-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	37.7	16.7	31.9	16.1	†	†
Bombay	29.9	12.1	28.4	11.4	28.1	15.5
Delhi	28.1	9.6	30.7	8.3	31.2	8.4
Madhya Pradesh	22.1	9.6	22.1	9.1	29.4	15.9
Orissa	60.6	16.3	46.7	18.9	42.4	23.3
Punjab (I)	42.3	7.8	42.3	7.8	34.3	9.5
U. P.	31.1	12.7	29.8	12.2	30.9	15.0
West Bengal	19.5	8.3	17.0	9.4	16.5	13.3
*India	28.9	11.2	30.9	13.2	31.4	16.1

*7 Part "A" States and 1 Part "C" State.

† Figures not available.

NEW DELHI-2 (INDIA); }
The 28th February, 1956. }

K. MITRA,
for Registrar General, India.